

Expand Your Vision

All-in-One LED Display Solution Kits



As a leading visual solutions provider, ViewSonic is pioneering new trends in the presentation display markets. With the development of our All-in-One LED Display Solution Kits, we've advanced LED technology and created a new product category. With huge screen sizes up to 135", larger-than-life images and simple setup, these solution kits are an innovative, all-in-one alternative to traditional video walls.

Impressive Large Displays for Rental at Any Event/Exhibition



The ViewSonic® All-in-One Direct View LED Display Solution Kits boast easy delivery, installation, and maintenance. Engage your audience on a magnificent screen everywhere from high-end board rooms and receptions to galleries, auditoriums, and other large venues.



Pre-assembled Kit Ready for Instant Use

From LED modules, cabinets, system control box to the floor stand, everything has been pre-assembled. The large LED display is ready to be used within just a few minutes, saving time and efforts as well as lowering the technical know-how barrier for installers.



Built-in Stand with Motorized Height Adjustment

With a built-in motorized floor stand, you can easily adjust the height at a maximum range of 60 cm by simply pressing the control buttons. Up to 4 sets of height preference can be saved for convenient recurring use.



Easy to Move Around with 360° Silent Wheels

Freely move and position the large LED display anywhere you want – even after disassembled from the flight case packaging – with the 360° silent wheels and stabilized with push-button locking.



Simple Delivery with Movable Flight Case

The movable flight case packaging design not only provides secure protection of the advanced LED display, but also makes for easy delivery from one venue to another.

Wow Visitors All the Way



A Modern Look for Any Interior

1.4"/35 mm Ultra-slim ID, 0.4"/10 mm Frameless Edge

Thin, discreet, and bezel-less, the All-in-One Direct View LED Display Solution Kits seamlessly deliver content and offer a minimalistic look that blends in harmoniously with almost any interior design style.



Wireless Content Sharing from Mobile Devices

The pre-installed ViewBoard® Cast software enables direct content streaming from mobile devices to the display through wireless or wired networks, whether one-to-one, or many-to-one.

* Compatible with Windows, Android, and iOS.



Reliable Operation 24/7


Boasting a 100K-hour lifespan, this professional-grade commercial display is designed for reliable use 24 hours a day, 7 days a week.



Unparalleled Viewing Experience

120% Rec. 709 Wide Color Gamut

ViewSonic's exclusive Cinema SuperColor+™ Technology features a wider color gamut that delivers lifelike colors, along with 1.2 - 1.5 mm fine pixel pitch, and greater contrast ratio for stunningly rich and clear images.



AV Control System Compatible

This display is Crestron, Extron, AMX and myViewBoard Manager compatible, providing easy and efficient management of multiple display configurations from a PC via LAN connectivity.



Industry-Leading All-in-One Design for Fuss-Free Setup

ViewSonic All-in-One Direct View LED Displays serve as a simplified solution with integrated display, image stitching, power supply, and control systems, eliminating the need for a complicated setup process—all you need to do is turn on the display.

Specifications

MODEL NAME	LD108-122	LD135-152
Screen Size	108"	135"
Display Area (mm)	2400 (H) x 1350(V)	3000 (H) x 1687.5(V)
Native Resolution	1920x1080	1920x1080
Panel Technology	Direct view LED	Direct view LED
Bonding Wire	Gold	Gold
Pitch Size (mm)	1.25	1.56
Refresh Rate	Up to 4440 Hz	4440 Hz
Brightness (max.)	500 nits (8 levels adjustable)	600 nits (8 levels adjustable)
Contrast Ratio (typ.)	6000:1	6000:1
Orientation	Landscape	Landscape
LED Lifetime (typ.)	100,000 Hours	100,000 Hours
Local Storage	Total 32GB (26GB available storage)	Total 32GB (26GB available storage)
Resolution Support	HDMI(640 x 480) to 1080p(1920 x 1080)	HDMI(640 x 480) to 1080p(1920 x 1080)
HDTV Compatibility	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Horizontal Frequency	31-94 kHz	31-94 kHz
Vertical Scan Rate	56-85Hz	56-85Hz
INPUT		
HDMI	x2, (HDMI 1.4, HDCP 1.4)	x2, (HDMI 1.4, HDCP 1.4)
USB Type A	x3, (USB3.0 x1, USB2.0 x2)	x3, (USB3.0 x1, USB2.0 x2)
RJ45 Input (Internet)	x1	x1
Wi-Fi Input	2.4G/5G Hz	2.4G/5G Hz
OUTPUT		
HDMI out	x1, (HDMI 1.4, HDCP 1.4)	x1, (HDMI 1.4, HDCP 1.4)
Speaker	5W x2	5W x2
Audio out (3.5mm)	x1	x1
USB Type A (Power)	Shared with USB input, (5V/1A x1, 5V/0.5A x2)	Shared with USB input, (5V/1A x1, 5V/0.5A x2)
CONTROL		
RJ45 (LAN control)	x1, (shared with Internet)	x1, (shared with Internet)
USB Type A (Services)	x1, (shared with USB A Input)	x1, (shared with USB A Input)
USB Type B (Debug)	x1	x1
RS232 (DB 9-pin female)	x1	x1
IR Receiver	x1	x1
OTHERS		
Power Supply Voltage	100-120V/30A ~ 50/60Hz or 220-240V/15A ~ 50Hz, (vary by country)	100-120V/30A ~ 50/60Hz or 220-240V/15A ~ 50Hz, (vary by country)
Power Consumption	1330W (typ), 1900W (max), < 0.5W (Sleep), < 0W (Off)	2030W (typ), 2900W (max), < 0.5W (Sleep), < 0W (Off)
Operating Temperature	0~40°C	0~40°C
LED Module Quantity	64	100
Ingress Protection Rating	IP30	IP30
Packing	Flight Case	Flight Case
Net Weight	397 lbs (180 kg)	529 lbs (240 kg)
Gross Weight	573 lbs (260 kg)	750 lbs (340 kg)
Screen Dimensions (WxHxD)	95.3x63.1-86.3x36.6 inches (2421x1603-2193x930 mm)	118.9x76.4-99.6x36.3 inches (3020x1941-2531x930 mm)
Packing Dimensions	98.4x67.4x37.4 inches (2500x1713x950 mm)	122.0x80.7x37.4 inches (3100x2050x950 mm)
OSD / User Guide Language	English, French, Spanish, German, Russian, Dutch, T-Chinese, S-Chinese, Turkish, Arabic, Total 10 languages	English, French, Spanish, German, Russian, Dutch, T-Chinese, S-Chinese, Turkish, Arabic, Total 10 languages
STANDARD ACCESSORIES		
Power Cord	x1	x1
USB Cable (A-B)	x1	x1
Remote Control	x1	x1
QSG	x1	x1
Spare Parts	LED PCB Unit x7	LED PCB Unit x7
Maintenance Tool	LD-MK-001 x1	LD-MK-001 x1
OPTIONAL ACCESSORIES		
Maintenance Tool	LD-MK-001	LD-MK-001
Floor Stand	LD-STND-003	LD-STND-001
Motorized Trolley	LD-STND-103	LD-STND-101
ViewBoard Cast Button (USB-C)	VB-WPS-001	VB-WPS-001
ViewBoard Cast Button (USB-A + HDMI)	VB-WPS-003	VB-WPS-003